



# תוכנית 1 ג'אותה

תרגול י"ג - סיכון הסיכוןים  
ליאור שפירא ומתי שמרת

# קצת על ממשקים

- ממשק יכול להרחיב יותר ממנשך אחד
- שירותים במנשך הם תמיד **מוספטים** וציבוריים

```
public interface MyInterface {  
    public abstract int foo1(int i);  
    int foo2(int i);  
}
```

The “type” of foo1 and foo2 is the same.

# מנשיים

```
public interface Foo {  
    public void bar() throws Exception;  
}  
  
public class FooImpl implements Foo {  
    public void bar() {  
        System.out.println("No exception is thrown");  
    }  
  
    public static void main(String args[]) {  
        Foo foo = new FooImpl();  
        foo.bar();  
    }  
}
```

# מנשיים

```
public interface Foo {  
    public void bar() throws Exception;  
}  
  
public class FooImpl implements Foo {  
    public void bar() {  
        System.out.println("No exception is thrown");  
    }  
  
    public static void main(String args[]) {  
        FooImpl foo = new FooImpl();  
        foo.bar();  
    }  
}
```



# מנשכים וירושה


Consider the following class hierarchy:

**Interface Animal {...}**

**class Dog implements Animal{...}**

**class Poodle extends Dog {...}**

**class Labrador extends Dog {...}**



Which of the following lines (if any) will not compile?

**Poodle poodle = new Poodle();**

**Animal animal = (Animal) poodle;**

**Dog dog = new Labrador();**

**animal = dog;**

**poodle = dog;**



# מנשקיים וירושה

```
class A {  
    public void print() {  
        System.out.println("A");  
    }  
}  
  
class B extends A implements C {  
}  
  
interface C {  
    void print();  
}
```

# מנשקיים וירושה

---

```
class A {  
    void print() {  
        System.out.println("A");  
    }  
}  
  
class B extends A implements C {  
}  
  
interface C {  
    void print();  
}
```

# Method Overloading & Overriding

```
public class A {  
    public float foo(float a, float b) throws IOException{  
    }  
}  
  
public class B extends A {  
    ...  
}
```

Which of the following methods can be defined in B:

1. **float foo(float a, float b){...}**
2. **public int foo(int a, int b) throws Exception{...}**
3. **public float foo(float a, float b) throws Exception{...}**
4. **public float foo(float p, float q) {...}**

# Method Overriding

```
public class A {  
    public void print() {  
        System.out.println("A");  
    }  
}  
  
public class B extends A {  
    public void print() {  
        System.out.println("B");  
    }  
}
```

```
public class C {  
    public static void main(String args[]) {  
        B b = new B();  
        A a = b;  
  
        b.print();  
        a.print();  
    }  
}
```

# Method Overriding & Visibility

```
public class A {  
    public void print() {  
        System.out.println("A");  
    }  
}
```

```
public class B extends A {  
    protected void print() {  
        System.out.println("B");  
    }  
}
```

```
public class C {  
    public static void main(String[] args) {  
        B b = new B();  
        b.print();  
    }  
}
```

# Method Overriding & Visibility

```
public class A {  
    protected void print() {  
        System.out.println("A");  
    }  
}
```

```
public class B extends A {  
    public void print() {  
        System.out.println("B");  
    }  
}
```

```
public class C {  
    public static void main(String[] args) {  
        B b = new B();  
        b.print();  
    }  
}
```

# Inheritance

```
public class A {  
    public void foo() {  
        System.out.println("A.foo()");  
    }  
  
    public void bar() {  
        System.out.println("A.bar()");  
        foo();  
    }  
}
```

```
public class B extends A {  
    public void foo() {  
        System.out.println("B.foo()");  
    }  
  
    public static void main(String[] args) {  
        A a = new B();  
        a.bar();  
    }  
}
```

# Inheritance

```
public class A {  
    private void foo() {  
        System.out.println("A.foo()");  
    }  
  
    public void bar() {  
        System.out.println("A.bar()");  
        foo();  
    }  
}
```

```
public class B extends A {  
    public void foo() {  
        System.out.println("B.foo()");  
    }  
  
    public static void main(String[] args) {  
        A a = new B();  
        a.bar();  
    }  
}
```

# Inheritance

---

```
public class A {  
    public void foo() {...}  
}
```

```
public class B extends A {  
    public void foo() {...}  
}
```

# Inheritance

---

```
public class A {  
    public void foo() {...}  
}
```

```
public class B extends A {  
    public void foo() {...}  
}
```

```
public class C extends B {  
    public void foo() {...}  
}
```

# Inheritance & Constructors

```
public class A {  
    String bar = "A.bar";  
  
    A() { foo(); }  
  
    public void foo() {  
        System.out.println("A.foo(): bar = " + bar);  
    }  
}  
  
public class B extends A {  
    String bar = "B.bar";  
  
    B() { foo(); }  
  
    public void foo() {  
        System.out.println("B.foo(): bar = " + bar);  
    }  
}
```

```
public class D {  
    public static void main(String[] args) {  
        A a = new B();  
        System.out.println("a.bar = " + a.bar);  
        a.foo();  
    }  
}
```

# Inheritance & Constructors

```
public class A {  
    protected B b = new B();  
    public A() { System.out.println("in A: no args."); }  
    public A(String s) { System.out.println("in A: s = " + s); }  
}  
  
public class B {  
    public B() { System.out.println("in B: no args."); }  
}  
  
public class C extends A {  
    protected B b;  
    public C() { System.out.println("in C: no args."); }  
    public C(String s) { System.out.println("in C: s = " + s); }  
}  
  
public class D {  
    public static void main(String args[]) {  
        C c = new C();  
        A a = new C();  
    }  
}
```

# Inheritance & Constructors

```
public class A {  
    protected B b = new B();  
    public A() { System.out.println("in A: no args."); }  
    public A(String s) { System.out.println("in A: s = " + s); }  
}  
  
public class B {  
    public B() { System.out.println("in B: no args."); }  
}  
  
public class C extends A {  
    protected B b;  
    public C() { System.out.println("in C: no args."); }  
    public C(String s) { System.out.println("in C: s = " + s); }  
}  
  
public class D {  
    public static void main(String args[]) {  
        C c = new C("c");  
        A a = new C("a");  
    }  
}
```

# Inheritance & Constructors


```
public class A {  
    protected B b = new B();  
    public A() { System.out.println("in A: no args."); }  
    public A(String s) { System.out.println("in A: s = " + s); }  
}  
  
public class B {  
    public B() { System.out.println("in B: no args."); }  
}  
  
public class C extends A {  
    protected B b;  
    public C() { System.out.println("in C: no args."); }  
    public C(String s) { System.out.println("in C: s = " + s); }  
}  
  
public class D {  
    public static void main(String args[]) {  
        C c = new C("c");  
        A a = new C("a");  
    }  
}
```

# Inheritance & Constructors

```
public class A {  
    String bar = "A.bar";  
}  
  
public class B extends A {  
    String bar = "B.bar";  
  
    B() { foo(); }  
  
    public void foo() {  
        System.out.println("B.foo(): bar = " + bar);  
    }  
  
    public static void main(String[] args) {  
        A a = new B();  
        System.out.println(a.bar);  
        a.foo();  
    }  
}
```

# בחינה באופק!

- הבחינה ב-15 בפברואר ב-2 בצהרים
- עצות לקראת המבחן:
  - תתכונו
  - תשטו הרבה מים
  - להשתדל להימנע מתשובות כאלו



בצלחה !