











# DATABASE SYSTEMS

## Introduction to web programming



Database Systems Course, 2016

# AGENDA FOR TODAY


-  Client side programming
  -  HTML
  -  CSS
  -  Javascript
-  Server side programming: PHP
  -  Installing a local web-server
  -  Basic PHP usage
  -  DB programming with PHP
-  Server side programming: Python (Flask)
-  Using the university web servers.

# HOW DO WEBSITES WORK?

1. Web browser sends and receive **HTTP** requests and displays **HTML**
2. Web server receives **HTTP** requests from web browsers and sends **HTTP** responses containing **HTML** code
3. Web server sends SQL queries to the Database server



Web Browser



# HOW TO BUILD A WEBSITE?

I. Everything you need to know is here:

The screenshot displays the w3schools.com website. At the top, the logo 'w3schools.com' is on the left, and 'THE WORLD'S LARGEST WEB DEVELOPER SITE' is on the right. A green navigation bar contains 'TUTORIALS', 'REFERENCES', and 'EXAMPLES' with dropdown arrows, along with a globe icon and a search icon. On the left sidebar, a list of topics is shown: 'HTML and CSS' (with sub-links: Learn HTML, Learn CSS, Learn W3.CSS, Learn Colors, Learn Bootstrap, Learn Icons, Learn Graphics, Learn How To), 'JavaScript' (with sub-links: Learn JavaScript, Learn jQuery, Learn jQueryMobile, Learn AppML, Learn AngularJS, Learn JSON, Learn AJAX), and 'Server Side' (with sub-links: Learn SQL, Learn PHP). The main content area features a large 'HTML' heading, the subtitle 'The language for building web pages', and two buttons: 'LEARN HTML' and 'HTML REFERENCE'. To the right, an 'HTML Example:' box contains a code snippet for a basic HTML document. Below this, a 'Try It Yourself »' button is visible. At the bottom, a 'CSS Example:' section is partially visible, with the word 'CSS' appearing on the right.

w3schools.com THE WORLD'S LARGEST WEB DEVELOPER SITE

TUTORIALS ▾ REFERENCES ▾ EXAMPLES ▾

HTML and CSS

- Learn HTML
- Learn CSS
- Learn W3.CSS
- Learn Colors
- Learn Bootstrap
- Learn Icons
- Learn Graphics
- Learn How To

JavaScript

- Learn JavaScript
- Learn jQuery
- Learn jQueryMobile
- Learn AppML
- Learn AngularJS
- Learn JSON
- Learn AJAX

Server Side

- Learn SQL
- Learn PHP

# HTML

The language for building web pages

LEARN HTML HTML REFERENCE

HTML Example:

```
<!DOCTYPE html>
<html>
<title>HTML Tutorial</title>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

Try It Yourself »

CSS Example:

# CSS

# AGENDA FOR TODAY

## **Client side programming**

-  **HTML**

-  CSS

-  Javascript

## Server side programming: PHP

-  Installing a local web-server

-  Basic PHP usage


-  DB programming with PHP

## Server side programming: Python (Flask)

-  Using the university web servers.

# A STATIC WEB PAGE

- 🐟 **Content is identical, regardless.**
- 🐟 **To perform changes in content, the programmer has to change the HTML file.**
- 🐟 **For example:**



## Noga Alon's home page



### Fields of interest

Combinatorics, Graph Theory and their applications to Theoretical Computer Science. Combinatorial algorithms and circuit complexity. Combinatorial geometry and Combinatorial number theory. Algebraic and probabilistic methods in Combinatorics.

### Teaching

- [Introduction to Combinatorics and Graph Theory \(Spring 2015-2016\)](#)
- [Algorithms \(Spring 2015-2016\)](#)
- [Graph Theory \(Fall 2015-2016\)](#)
- [Research Seminar in Combinatorics \(Spring 2015-2016\)](#)

### Some past courses

- [Introduction to Combinatorics and Graph Theory \(Spring 2014-2015\)](#)
- [Algorithms \(Spring 2014-2015\)](#)

# A STATIC WEB PAGE

- 🐭 To view the HTML source code, we can right click and select “view source”
- 🐭 Or use the browser's developer tools. e.g.

The screenshot shows a web browser displaying Noga Alon's home page. The browser's developer tools are open, showing the HTML source code. The page title is "Noga Alon's home page". The HTML structure includes a head section with a title and a style, and a body section with a main heading, a paragraph, a subheading, a paragraph, and a list of links. The developer tools highlight the link "Introduction to Combinatorics and Graph Theory (Spring 2015-2016)".

**Noga Alon's home page**

**Fields of interest**

Combinatorics, Graph Theory and their applications to Theoretical Computer Science. Combinatorial algorithms and circuit complexity. Combinatorial geometry and Combinatorial number theory. Algebraic and probabilistic methods in Combinatorics.

**Teaching**

- [Introduction to Combinatorics and Graph Theory \(Spring 2015-2016\)](#)
- [Graph Theory \(Fall 2015-2016\)](#)
- [Research Seminar in Combinatorics \(Spring 2015-2016\)](#)

**Some past courses**

- [Introduction to Combinatorics and Graph Theory \(Spring 2014-2015\)](#)
- [Algorithms \(Spring 2014-2015\)](#)
- [Probabilistic Methods in Combinatorics \(Fall 2012-2013\)](#)
- [Research Seminar in Combinatorics \(Fall 2015-2016\)](#)

```
<html>
<head>
  <title> Noga Alon </title>
  <style type="text/css"></style>
</head>
<body>
  <h1> Noga Alon's home page </h1>
  <p>...</p>
  <h2>Fields of interest</h2>
  "
  Combinatorics, Graph Theory and their applications to
  Theoretical
  Computer Science. Combinatorial algorithms and circuit
  complexity. Combinatorial geometry and Combinatorial number
  theory. Algebraic and probabilistic methods in
  Combinatorics.
  "
  <h2> Teaching </h2>
  <ul>
    <li>
      <a href="introcom.html">
        Introduction to Combinatorics and Graph Theory (Spring
        2015-2016)</a>
    </li>
    <li>...</li>
    <li>...</li>
    <li>...</li>
  </ul>
  <h2> Some past courses </h2>
  <ul>...</ul>
  <h2>Short CV </h2>
  <ul>...</ul>
```




# A STATIC WEB PAGE

🐟 **HTML web page is a document, organized in a tree structure, according to the Document Object Model (DOM).**

🐟 **The most important nodes:**

- <html>** the root of every web page
- <head>** containing meta-data and external sources
- <body>** holds the content of the webpage
- <div>** is the basic content container.






# A STATIC WEB PAGE

- Each node is an element
- Each element begins and ends with a tag e.g. : `<title> Noga Alon </title>`
- Each element has a set of attributes

- **structure:** `attr = val`
- ``



The screenshot shows a web browser displaying Noga Alon's home page. The page content includes a portrait of Noga Alon, a section titled "Fields of interest" with a paragraph about combinatorics, a "Teaching" section with a list of courses, and a "Some past courses" section. The right side of the image shows the browser's developer tools with the "Elements" tab selected, displaying the HTML structure of the page. The HTML structure is as follows:

```
<html>
  <head>
    <title> Noga Alon </title>
    <style type="text/css"></style>
  </head>
  <body>
    <h1> Noga Alon's home page </h1>
    <p>
      
    </p>
    <h2>Fields of interest</h2>
    "
    Combinatorics, Graph Theory and their applications to Theoretical Computer Science. Combinatorial algorithms and circuit complexity. Combinatorial geometry and Combinatorial number theory. Algebraic and probabilistic methods in Combinatorics.
    "
    <h2> Teaching </h2>
    <ul>
      <li>
        <a href="introcom.html">
          Introduction to Combinatorics and Graph Theory (Spring 2015-2016)
        </a>
      </li>
```

# AN (ADVANCED) STATIC PAGE

## **Web forms:**

 Used to collect **input** from the user and **submit** it to the server

 The values are sent to the **web server** via **HTTP GET/POST** requests:

 **GET:** most web requests you will encounter, parameters are passed in the URL

 **POST:** used to send files, large size parameters, and sensitive parameters (passwords)

First name:

Mickey

Last name:

Mouse

Submit

If you click the "Submit" button, the form-data will be sent to a page called "action\_page.php".

# AN (ADVANCED) STATIC PAGE

## Web forms:

- The attribute **action** sets the web URI that will handle the request
- The attribute **method** will set the HTTP request method (“get” or “post”)

```
<!DOCTYPE html>
<html>
<body>

<form action="action_page.php" method="post">
  First name:<br>
  <input type="text" name="firstname" value="Mickey">
  <br>
  Last name:<br>
  <input type="text" name="lastname" value="Mouse">
  <br><br>
  <input type="submit" value="Submit">
</form>

<p>If you click the "Submit" button, the form-data will be sent to a page called
"action_page.php".</p>

</body>
</html>
```

First name:

Last name:

If you click the "Submit" button, the form-data will be sent to a page called "action\_page.php".

# AN (ADVANCED) STATIC PAGE

## Web forms:

- The attribute **action** sets the web URI that will handle the request
- The attribute **method** will set the HTTP request method (“get” or “post”)
- When clicking “submit” the following HTTP request is generated:

```
▼ Request Headers    view source
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
Accept-Encoding: gzip, deflate
Accept-Language: en-US,en;q=0.8,he;q=0.6
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 31
Content-Type: application/x-www-form-urlencoded
Cookie: __gads=ID=121eef0c11a56bf3:T=1404899365:S=ALNI_MaB_krXY86lDuSUam-1wYGrRWIftA; __utma=119627022.1086267766.1404899365.1409010569.1409052375.4; _ga=GA1.2.1086267766.1404899365
DNT: 1
Host: www.w3schools.com
Origin: http://www.w3schools.com
Pragma: no-cache
Referer: http://www.w3schools.com/html/tryit.asp?filename=tryhtml_form_submit
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_11_3) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/49.0.2623.110 Safari/537.36

▼ Form Data    view source    view URL encoded
firstname: Mickey
lastname: Mouse
```

# AN (ADVANCED) STATIC PAGE

## HTML5:

- HTML was pretty “basic” and needed many 3rd party plugins (e.g. Adobe Flash)
- HTML was not standardised and the programmer had to check the rendering of her code in all browser and handle irrational browser e.g., Internet Explorer.
- HTML5 was introduced in 2014 and includes new tags, attributes and cool features such as:
  - Graphic elements:** <canvas>, <svg>, <video>, <audio>
  - Semantic elements:** <footer>, <article>, <section>
  - APIs:** Geolocation, Drag and Drop, Local Storage



# AGENDA FOR TODAY

## **Client side programming**

 HTML

 **CSS**

 Javascript

## Server side programming: PHP

 Installing a local web-server

 Basic PHP usage

 DB programming with PHP

## Server side programming: Python (Flask)



 Using the university web servers.



# A STATIC WEB PAGE (WITH STYLE)

🐉 So far we learned how to structure the content of a webpage (Like Noga)

🐉 This is Tova's website without style. Looks familiar?





# A STATIC WEB PAGE (WITH STYLE)




For adding some “style”, we use a CSS (Cascading Style Sheet)



# CSS FORMAT

 **How to set the style of an element:**



 **Example of a CSS file:**

```
html, * {
    margin:0 auto;
    padding:0;
}
body {
    background-image:url('images/bg-gradient.png');
    background-repeat:repeat-x;
    background-color:#23364E;
    margin:0 auto;
    padding:0;
    font-size:1.0em;
    font-family:"Trebuchet MS", Verdana, Arial;
}

/* table */
table
{
    margin:0;
}

/* GROUP MEMBER IMAGE */
.group_image {
    height: 120px;
    float: right;
}
```

# EMBEDDING STYLING IN HTML

 There are 3 ways to include a CSS file. (you will use the first only).

**1.External CSS file: Include a link to the stylesheet file under the <head> tag of your HTML file:**

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>Tova Milo's Homepage</title>
<link rel="stylesheet" href="http://www.cs.tau.ac.il/~milo/design/styles.css" type="text/css" />
</head>
```

**2.Internal Stylesheet: Include a tag <style> under the <head> tag:**

```
<head>
<style>
body {
    background-color: linen;
}

h1 {
    color: maroon;
    margin-left: 40px;
}
</style>
</head>
```




# EMBEDDING STYLING IN HTML

 There are 3 ways to include a CSS file. (you will use the first only).

3. Inline styling: by adding the attribute style:

```
<h1 style="color:blue;margin-left:30px;">This is a heading.</h1>
```

# EMBEDDING STYLING IN HTML

-  **You can use multiple style sheets.**
-  **FYI: Your browser has its own CSS file that is used by default.**
-  **Cascading order (first one has the highest priority):**
  - 1.Inline style (inside an HTML element)**
  - 2.External and internal style sheets (in the head section)**
  - 3.Browser default**

# WHY HATING CSS?

 CSS beginners hate CSS. Why?

1. Inheritance of style. (“I changed the font size but I can’t see the changes”)
2. Positioning of elements (“This stupid DIV keeps floating over the title”)
3. The box model (“Wait, is it margin-right? or padding-right? I’ll try both and see what happens”)

# ADD SPECIFIC STYLES: CSS SELECTORS

 **Selection by element ID:** (Use when addressing unique elements)

## HTML

```
<div id="content">
  Text
</div>
```

## CSS

```
#content {
  width: 200px;
}
```

 **Selection by element class:** (can be used for multiple elements)

## HTML

```
<div class="big">
  Text
</div>
<div>
  <span class="big">some text </span>
</div>
```

## CSS

```
.big{
  width: 200px;
}
```



# CSS SELECTORS



## Selection by tag:

### HTML

```
<div>
  Text
</div>
<div>
  <span>some text </span>
</div>
<span>some other text </span>
```

### CSS

```
div {
  width: 200px;
}
span {
  font-size: 130%;
}
```



## Grouping selection:

```
H1, P, .main {
  font-weight: bold;
}
```



## Descendant selection:

### HTML

```
<div class="abc">
  <div>
    <p>
      Hello there!
    </p>
  </div>
</div>
```

### CSS

```
DIV.abc P {
  font-weight: bold;
}
```

# CSS SELECTORS



**Attributes selection** (Attribute selectors select elements based upon the attributes present in the HTML Tags and their value):

```
IMG[src="small.gif"] {  
    border: 1px solid #000;  
}
```

# CSS PSEUDO-ELEMENTS

 Used to generate HTML content automatically.

Selector	Example	Example description
<u>::after</u>	p::after	Insert content after every <p> element
<u>::before</u>	p::before	Insert content before every <p> element
<u>::first-letter</u>	p::first-letter	Selects the first letter of every <p> element
<u>::first-line</u>	p::first-line	Selects the first line of every <p> element
<u>::selection</u>	p::selection	Selects the portion of an element that is selected by a user

 Using the special attribute Content:

```
p::after {  
    content: " - Remember this";  
}
```

# CSS PSEUDO-CLASSES



Use to refer elements in different stages of execution.

Selector	Example	Example description
<u><a href="#">:active</a></u>	a:active	Selects the active link
<u><a href="#">:checked</a></u>	input:checked	Selects every checked <input> element
<u><a href="#">:disabled</a></u>	input:disabled	Selects every disabled <input> element
<u><a href="#">:empty</a></u>	p:empty	Selects every <p> element that has no children
<u><a href="#">:enabled</a></u>	input:enabled	Selects every enabled <input> element
<u><a href="#">:first-child</a></u>	p:first-child	Selects every <p> elements that is the first child of its parent
<u><a href="#">:first-of-type</a></u>	p:first-of-type	Selects every <p> element that is the first <p> element of its parent
<u><a href="#">:focus</a></u>	input:focus	Selects the <input> element that has focus
<u><a href="#">:hover</a></u>	a:hover	Selects links on mouse over
<u><a href="#">:in-range</a></u>	input:in-range	Selects <input> elements with a value within a specified range
<u><a href="#">:invalid</a></u>	input:invalid	Selects all <input> elements with an invalid value
<u><a href="#">:lang(<i>language</i>)</a></u>	p:lang(it)	Selects every <p> element with a lang attribute value starting with "it"

```
/* unvisited link */
a:link {
    color: #FF0000;
}
```

```
/* visited link */
a:visited {
    color: #00FF00;
}
```

```
/* mouse over link */
a:hover {
    color: #FF00FF;
}
```

```
/* selected link */
a:active {
    color: #0000FF;
}
```

# THE BOX MODEL


🐟 All HTML elements are considered as “boxes” . The box model allows us to add a border around elements, and to define space between elements:

**Content:** The content of the box, where text and images appear

**Padding:** Clears an area around the content. Padding is transparent

**Border:** A border that goes around the padding and content

**Margin:** Clears an area outside the border. The margin is transparent




🐟 For Example:

```
div {  
  width: 300px;  
  padding: 25px;  
  border: 25px solid navy;  
  margin: 25px;  
}
```

## Demonstrating the Box Model

The CSS box model is essentially a box that wraps around every HTML element. It consists of: margins, borders, padding, and the actual content.



# CSS: DISPLAY AND POSITION

 **These are the most important attributes in CSS.**

- FYI: It is a nightmare to deal with. Go through this tutorial : [http://www.w3schools.com/css/css\\_positioning.asp](http://www.w3schools.com/css/css_positioning.asp)

 **There are 2 types of elements: Block and Inline**

- Block (e.g. DIV, FORM, H1..H6):** starts in new line , always extend to the full width available.
- Inline (e.g. SPAN, IMG, A )** does not start on a new line and only takes up as much width as necessary

 **The *Display* attribute:** can alter the element's type or hide it completely.

Value	Description
inline	Default value. Displays an element as an inline element (like <span>)
block	Displays an element as a block element (like <p>)
inline-block	Displays an element as an inline-level block container. The inside of this block is formatted as block-level box, and the element itself is formatted as an inline-level box
list-item	Let the element behave like a <li> element
none	The element will not be displayed at all (has no effect on layout)
initial	Sets this property to its default value. <a href="#">Read about <i>initial</i></a>
inherit	Inherits this property from its parent element. <a href="#">Read about <i>inherit</i></a>

# CSS: DISPLAY AND POSITION



## Positioning of elements:

static	Default value. Elements render in order, as they appear in the document flow
absolute	The element is positioned relative to its first positioned (not static) ancestor element
fixed	The element is positioned relative to the browser window
relative	The element is positioned relative to its normal position, so "left: 20px" adds 20 pixels to the element's LEFT position
initial	Sets this property to its default value. <a href="#">Read about <i>initial</i></a>
inherit	Inherits this property from its parent element. <a href="#">Read about <i>inherit</i></a>



## Example:

```
div.relative {  
  position: relative;  
  width: 400px;  
  height: 200px;  
  border: 3px solid #73AD21;  
}  
  
div.absolute {  
  position: absolute;  
  top: 80px;  
  right: 0;  
  width: 200px;  
  height: 100px;  
  border: 3px solid #73AD21;  
}
```

This <div> element has position: relative;

This <div> element has  
position: absolute;



# CSS AND RESPONSIVE WEB DESIGN

🐟 **Responsive web design makes your web page look good on all devices.**

- Responsive web design uses only HTML and CSS.
- Responsive web design is not a program or a JavaScript.



🐟 **Defining the viewport: the main visible area for the user on any device**

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

# CSS AND RESPONSIVE WEB DESIGN

 **Media queries: Use CSS media queries to apply different styling for small and large screens.**

 **Example:**

- Original styling is for mobile

```
#main {margin-left: 4px;}  
#leftsidebar {float: none;width: auto;}
```

- Applying media query for bigger screens:

```
@media screen and (min-width: 480px) {  
  #leftsidebar {width: 200px; float: left;}  
  #main {margin-left:216px;}  
}
```

Menu-item 1

Menu-item 2

Menu-item 3

Menu-item 4

Menu-item 5

**Resize the browser window to see the effect!**

This example shows a menu that will float to the left of the page if the viewport is 480 pixels wide or wider. If the viewport is less than 480 pixels, the menu will be on top of the content.

Menu-item 1

Menu-item 2

Menu-item 3

Menu-item 4

Menu-item 5

**Resize the browser window to see the effect!**

This example shows a menu that will float to the left of the page if the viewport is 480 pixels wide or wider. If the viewport is less than 480 pixels, the menu will be on top of the content.

# AGENDA FOR TODAY

## **Client side programming**

 HTML

 CSS

 **Javascript**

## Server side programming: PHP

 Installing a local web-server

 Basic PHP usage

 DB programming with PHP

## Server side programming: Python (Flask)

 Using the university web servers.

# JAVASCRIPT:WHAT AND WHY

## Javascript is the client-side programming language.




- It is not Java and not related to Java by nothing. (Sun was involved somehow and therefore the name)
- It is high-level, dynamic, untyped, and interpreted programming language
- Syntax is C based (but semi-colon is not obligatory)
- Code is evaluated by the web browser
- It can traverse the DOM tree and handle browser events (e.g. click on a link, pressing a key)

## To include a Javascript file use the tag `<script>`

- Internal: Just type your js code
- External (recommended) **`<script src=external.js > </script>`**

# JAVASCRIPT: HELLO WORLD

## Javascript basic features:

-  Traverse the tree using the document reserved word.
-  Function `getElementById("<id>")`: finds the HTML element
-  Variable `innerHTML` : holds the element HTML content

## HelloWorld example

```
<!DOCTYPE html>
<html>
<body>

<h1>My First Page</h1>

<p id="demo"> This is going to be overwritten by javascript </p>

<script>
document.getElementById("demo").innerHTML = "Hello World!";
</script>

</body>
</html>
```

## My First Page

Hello World!

# JAVASCRIPT: BROWSER EVENTS

 **This are the main events that happen in the web browser (there are more):**

Event	Description
onchange	An HTML element has been changed
onclick	The user clicks an HTML element
onmouseover	The user moves the mouse over an HTML element
onmouseout	The user moves the mouse away from an HTML element
onkeydown	The user pushes a keyboard key
onload	The browser has finished loading the page

 **With these events JS can do:**

- Things that should be done every time a page loads/closed.
- Action that should be performed when a user clicks a button.

 **Important:**


- HTML event attributes can execute JavaScript code directly / call JavaScript Functions.
- You can assign your own event handler functions to HTML elements/ prevent handling events

# JAVASCRIPT:AJAX



**AJAX: asynchronous JavaScript and XML. Lets you:**

- Update a web page without reloading the page
- Request and receive data from a server - after the page has loaded
- Send data to a server - in the background






# JAVASCRIPT:AJAX



## An example showing everything :

- The HTML page contains a <div> section and a <button>.
- The <div> section is used to display information from a server.
- The <button> calls a function (if it is clicked).
- The function requests data from a web server and displays it:

### •BEFORE CLICKING



### •AFTER CLICKING



```
<!DOCTYPE html>
<html>
<body>

<div id="demo"><h2>Let AJAX change this text</h2></div>

<button type="button" onclick="loadDoc()">Change Content</button>

</body>
</html>
```

# JAVASCRIPT:AJAX



## The JavaScript Code:

```
function loadDoc() {  
    var xhttp = new XMLHttpRequest();  
    xhttp.onreadystatechange = function() {  
        if (xhttp.readyState == 4 && xhttp.status == 200) {  
            document.getElementById("demo").innerHTML = xhttp.responseText;  
        }  
    };  
    xhttp.open("GET", "ajax_info.txt", true);  
    xhttp.send();  
}
```



## Ready states:

onreadystatechange	Stores a function (or the name of a function) to be called automatically each time the readyState property changes
readyState	Holds the status of the XMLHttpRequest. Changes from 0 to 4: 0: request not initialized 1: server connection established 2: request received 3: processing request 4: request finished and response is ready
status	200: "OK" 404: Page not found

# WEB PROGRAMING: ADVANCED


🐟 **Why designing a page from scratch when you can rely on existing libraries that extend HTML, CSS and JavaScript?**

★ **jQuery:** a JavaScript Library that simplifies JavaScript Programming

★ **Angular JS/ React-JS:** extends HTML by adding new tags and features

★ **Bootstrap:** An HTML+CSS+JavaScript framework for developing **Responsive** websites

🐟 **The MVC approach separates the UI (views) from the data and logics (models) and let them communicate via designated I/O methods (controllers)**



# ANGULAR JS: EXAMPLE

🐘 **How to install Angular? Simply include the following script in your <head>**

```
<script src="http://ajax.googleapis.com/ajax/libs/angularjs/1.4.8/angular.min.js"></script>
```

🐘 **A bit complicated example for creating a table with data from the server:**

```
<div ng-app="myApp" ng-controller="customersCtrl">
```

```
<table>
```

```
<tr ng-repeat="x in names">
```

```
<td>{{ x.Name }}</td>
```

```
<td>{{ x.Country }}</td>
```

```
</tr>
```

```
</table>
```

```
</div>
```

```
<script>
```

```
var app = angular.module('myApp', []);
```

```
app.controller('customersCtrl', function($scope, $http) {
```

```
    $http.get("http://www.w3schools.com/angular/customers.php")
```

```
    .then(function (response) {$scope.names = response.data.records;});
```

```
});
```

records [15]

▼ 0 {3}

Name : Alfreds Futterkiste

City : Berlin

Country : Germany

▼ 1 {3}

Name : Ana Trujillo Emparedados y helados

City : México D.F.

Country : Mexico







# ANGULAR JS: EXAMPLE




## The results:

Alfreds Futterkiste	Germany
Ana Trujillo Emparedados y helados	Mexico
Antonio Moreno Taquería	Mexico
Around the Horn	UK
B's Beverages	UK
Berglunds snabbköp	Sweden
Blauer See Delikatessen	Germany
Blondel père et fils	France
Bólido Comidas preparadas	Spain
Bon app'	France
Bottom-Dollar Marketse	Canada
Cactus Comidas para llevar	Argentina
Centro comercial Moctezuma	Mexico
Chop-suey Chinese	Switzerland
Comércio Mineiro	Brazil

# AGENDA FOR TODAY

-  Client side programming
  -  HTML, CSS, Javascript
  -  Additional libraries: Bootstrap, Angular, JQuery
-  **Server side programming: PHP**
  -  Installing a local web server
  -  Basic PHP usage
  -  php+mysql
-  Using the university web servers.



# : INTRODUCTION

 **PHP stands for “*PHP: Hypertext Preprocessor*”**

 **Why PHP:**

- ★ PHP is one of the leading web development languages.
- ★ PHP is compatible with almost all servers used today (Apache, IIS, etc.)
- ★ PHP is free. Download it from the official PHP resource: [www.php.net](http://www.php.net)
- ★ PHP is easy to learn and runs efficiently on the server side

 **What can PHP do:**

- ★ PHP can generate dynamic HTML content
- ★ PHP can collect and process user input from GET and POST requests
- ★ PHP can send and receive cookies
- ★ PHP can add, delete, modify data in your database




# INSTALL PHP

## On your local machine (Windows):

1. Install XAMPP (or WAMP) from <https://www.apachefriends.org/download.html>
2. It will install Apache (web server) + MySQL database + PHP + phpMyAdmin
3. Open the XAMPP control panel and click **Start** on everything.
4. Open the folder C:/xampp/htdocs and create hello.php
5. Access from your web browser:

1. <http://localhost/hello.php>





# PHP: HELLOWORLD

 hello.php

```
<html>
  <head>
    <title>PHP Test</title>
  </head>
  <body>
    <?php echo '<p>Hello World</p>'; ?>
  </body>
</html>
```

# PHP: HANDLING REQUESTS

## 1. This is a simple HTML form in a static page ( form.html )

- Note that it contains the parameters **Name** and **Email**.
- These are sent to **welcome.php** via a POST request

```
<html>
<body>

<form action="welcome.php" method="post">
Name: <input type="text" name="name"><br>
E-mail: <input type="text" name="email"><br>
<input type="submit">
</form>

</body>
</html>
```

## 2. What does welcome.php looks like?

- Using \$\_POST superglobal array to access parameters

```
<html>
<body>


Welcome <?php echo $_POST["name"]; ?><br>
Your email address is: <?php echo $_POST["email"]; ?>

</body>
</html>
```

## 3. What does the user see?


```
Welcome John
Your email address is john.doe@example.com
```

# PHP: SUPER GLOBALS

 **SuperGlobals:** PHP has several predefined arrays that are “super globals”: means they are available in all scopes throughout a script without using any special prefix.

 **And they are:**

 **`$GLOBALS`** stores all global variables

 **`$_SERVER`** stores information about the current server e.g. path of the script, server name.

 **`$_GET`** stores the parameters that are passed via HTTP GET

 **`$_POST`** stores the parameters that are passed via HTTP POST

 **`$_FILES`** stores **files** that are uploaded to the server via HTTP POST

 **`$_COOKIE`** stores the parameters of the HTTP cookie

 **`$_SESSION`** stores information for a user in a **session**.

 **`$_REQUEST`** stores *all data passed via GET and POST*



# PHP: MISSING REQUEST PARAMETERS

 **What if some of the user didn't send a required parameter?**

- Never trust the user, always validate input **on the server side!**

 **Like that:**

- Use **\$\_SERVER** superglobal to read meta-data about the current request

```
<html>
<body>

<form action="welcome.php" method="post">
Name: <input type="text" name="name"><br>
E-mail: <input type="text" name="email"><br>
<input type="submit">
</form>

</body>
</html>
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    if (empty($_POST["name"])) {
        $nameErr = "Name is required";
    } else {
        $name = test_input($_POST["name"]);
    }
}
```

# PHP: INCLUDE FILES

 **PHP allows the programmer to include (or require) other scripts.**

```
<html>
<body>

<h1>Welcome to my home page!</h1>
<p>Some text.</p>
<p>Some more text.</p>
<?php include 'footer.php';?>

</body>
</html>
```

 **footer.php can be**

```
<?php
echo "<p>Copyright &copy; 1999-" . date("Y") . " W3Schools.com</p>";
?>
```

 **When to use:**

- ★ Separate DB handling from the logics.
- ★ Separate HTML generation from the logic.
- ★ Dedicated files for methods and functions


# PHP: COOKIES



**HTTP Cookie (Browser cookie)** is a small piece of data stored in the web browser

- ★ Useful since the internet (and HTTP) (and PHP) are **STATELESS** .
- ★ Example use: Your shopping cart in **amazon.com**.
- ★ Cookies are saved per web page.
- ★ The browser will send the cookie content to the web-page if it contains one.

# PHP: SET COOKIES

 **Using setcookie():** `setcookie(name, value, expire, path, domain, secure, httponly);`

 **Example:**

```
1 <?php
2 $cookie_name  = "name";
3 $cookie_value = "John";
4 setcookie($cookie_name, $cookie_value, time() + (86400 * 30), "/"); // 86400 = 1 day
5 ?>
6 <html>
7 <body>
8
9 <?php
10 if (!isset($_COOKIE[$cookie_name])) {
11     echo "Cookie named '" . $cookie_name . "' is not set!";
12 } else {
13     echo "Cookie '" . $cookie_name . "' is set!<br>";
14     echo "Value is: " . $_COOKIE[$cookie_name];
15 }
16 ?>
17
18 </body>
```

 **The browser will sent the request :**

Request Headers [view source](#)

Accept: text/css,\*/\*;q=0.1

Accept-Encoding: gzip, deflate, sdch

Accept-Language: en-US,en;q=0.8,he;q=0.6

Cache-Control: no-cache

Connection: keep-alive


Cookie: \_\_gads=ID=121eef0c11a56bf3:T=1404899365:S=ALNI\_MaB\_krXY86lDuSUam-1wY0

IftA; \_\_utma=119627022.1086267766.1404899365.1409010569.1409052375.4; \_ga=GA

1086267766.1404899365; ASPSESSIONIDCCSSSCDQ=LAFHD00BHNNHCANLL00LHKC0; ASPSES

IDACRTSDCR=NBLBIODCHGJDHMMMA0PKDMMPP; user=Alex+Porter

# PHP: SESSIONS

 PHP Sessions: are a way to store information (in variables) to be used across multiple pages.

 Unlike a cookie, the information is not stored in the browser but in the server!

 How to:

- 1. `Session_start()`** , the first thing on the page **even if the session is not new!**
- 2.** Read and write to **`$_SESSION`** super global
- 3. `session_unset()`** will delete all session variables
- 4. `session_destroy()`** will destroy the session



# PHP: SESSIONS

## **How is a PHP session created?**

- PHP first creates a unique identifier for that particular session which is a random string of 32 hexadecimal numbers such as 3c7foj34c3jj973hjkop2fc937e3443.
- A cookie called PHPSESSID is automatically sent to the user's computer to store unique session identification string.
- A file is automatically created on the server in the designated temporary directory and bears the name of the unique identifier prefixed by sess\_ ie sess\_3c7foj34c3jj973hjkop2fc937e3443.

## **How does PHP retrieves session information?**

- PHP automatically gets the unique session identifier string from the PHPSESSID cookie.
- then looks in its temporary directory for the file bearing that name and a validation can be done by comparing both values.

## **How do sessions end?**

- When the cookie is lost.
- the server will terminate the session after a predetermined period of time, commonly 30 minutes duration.

# PHP + MYSQL

 PHP can use one of two methods for Database handling:

- **MySQLi** extension (the "i" stands for improved)
- **PDO** (PHP Data Objects)

```
1 <?php
2 $servername = "mysqlsrv.cs.tau.ac.il";
3 $username   = "sakila";
4 $password   = "sakila";
5 $dbname     = "sakila";
6
7 // Create connection
8 $conn = new mysqli($servername, $username, $password, $dbname);
9 // Check connection
10 if ($conn->connect_error) {
11     die("Connection failed: " . $conn->connect_error);
12 }
13 $sql = "SELECT rental_id,rental_date FROM rental WHERE inventory_id = 10 AND customer_id = 3";
14 $result = $conn->query($sql);
15
16 if ($result->num_rows > 0) {
17     // output data of each row
18     while ($row = $result->fetch_assoc()) {
19         echo "id: " . $row["rental_id"] . " - Date: " . $row["rental_date"] . "<br>";
20     }
21 } else {
22     echo "0 results";
23 }
24 $conn->close();
25 ?>
```

# PHP + MYSQL



**Prepared statements** using:

- prepare
- bind
- execute


```
3 // prepare and bind
4 $stmt = $conn->prepare("INSERT INTO MyGuests (firstname, lastname, email) VALUES (?, ?, ?)");
5 $stmt->bind_param("sss", $firstname, $lastname, $email);
6
7 // set parameters and execute
8 $firstname = "John";
9 $lastname  = "Doe";
10 $email     = "john@example.com";
11 $stmt->execute();
12
13 $firstname = "Mary";
14 $lastname  = "Moe";
15 $email     = "mary@example.com";
16 $stmt->execute();
```

# PHP ERROR HANDLING

 Remember: **PHP is not always configured to display errors and warnings**

 PHP stores all error and warning to a log.

 Depends on the configuration, it also prints annoying messages to the screen such as :



 These are the available error levels: use `error_reporting()` to control it:

Value	Constant	Description
2	E_WARNING	Non-fatal run-time errors. Execution of the script is not halted
8	E_NOTICE	Run-time notices. The script found something that might be an error, but could also happen when running a script normally
256	E_USER_ERROR	Fatal user-generated error. This is like an E_ERROR set by the programmer using the PHP function <code>trigger_error()</code>
512	E_USER_WARNING	Non-fatal user-generated warning. This is like an E_WARNING set by the programmer using the PHP function <code>trigger_error()</code>
1024	E_USER_NOTICE	User-generated notice. This is like an E_NOTICE set by the programmer using the PHP function <code>trigger_error()</code>
4096	E_RECOVERABLE_ERROR	Catchable fatal error. This is like an E_ERROR but can be caught by a user defined handle (see also <code>set_error_handler()</code> )
8191	E_ALL	All errors and warnings (E_STRICT became a part of E_ALL in PHP 5.4)

# APACHE+PHP ERROR LOGS

 **Are store in a file called `error.log`** that can be found in the apache directory

- Sadly , the log is restricted in the uni web-server
- You will have to configure your php file to display error via the method **`error_reporting`**

```
[31-Oct-2013 09:14:18] PHP Notice: wp_register_script was called
<strong>incorrectly</strong> - scripts and styles should not be registered or
enqueued until the <code>wp_enqueue_scripts</code>, <code>admin_enqueue_scripts</
code>, or <code>login_enqueue_scripts</code> hooks. Please see <a href="http://
codex.wordpress.org/Debugging_in_WordPress">Debugging in WordPress</a> for more
information. (This message was added in version 3.3.) in /var/www/vhosts/
ipadboardgames.org/httpdocs/wp-includes/functions.php on line 3012
[31-Oct-2013 09:14:18] PHP Notice: add_custom_background is <strong>deprecated</
strong> since version 3.4! Use add_theme_support( 'custom-background', $args )
instead. in /var/www/vhosts/ipadboardgames.org/httpdocs/wp-includes/functions.php
on line 2871
[31-Oct-2013 09:14:18] PHP Notice: register_widget_control is
<strong>deprecated</strong> since version 2.8! Use wp_register_widget_control()
instead. in /var/www/vhosts/ipadboardgames.org/httpdocs/wp-includes/functions.php
on line 2871
[31-Oct-2013 09:14:18] PHP Notice: register_sidebar_widget is
<strong>deprecated</strong> since version 2.8! Use wp_register_sidebar_widget()
instead. in /var/www/vhosts/ipadboardgames.org/httpdocs/wp-includes/functions.php
on line 2871
```

# APACHE+PHP CONF. FILES

 **Apache configurations are stored in a file called httpd.conf**

- To make changes: You can make changes in the httpd.conf file then restart the server
- Holds informations such as the server port, supported modules etc.









 **PHP configurations are stored in a file called PHP.ini**

```
; any text on a line after an unquoted semicolon (;) is ignored
[php] ; section markers (text within square brackets) are also ignored
; Boolean values can be set to either:
;   true, on, yes
; or false, off, no, none
register_globals = off
track_errors = yes

; you can enclose strings in double-quotes
include_path = ".:usr/local/lib/php"

; backslashes are treated the same as any other character
include_path = ".;c:\php\lib"
```

# AGENDA FOR TODAY

-  Client side programming
  -  HTML, CSS, Javascript
  -  Additional libraries: Bootstrap, Angular, JQuery
-  Server side programming: PHP
  -  Installing a local web server
  -  Basic PHP usage
  -  php+mysql
-  **Using the university web servers.**



# UNIVERSITY SERVERS



1. Connect to NOVA
2. Create a new directory called html
3. Create your project dir under ~/html
4. Create a “hello.php” file under ~/html/project
5. Access the url from your web browser: `cs.tau.ac.il/~<your_username>/project/hello.php`



# UNIVERSITY SERVERS

## PYTHON

- 1.Supports Flask and Django
- 2.delta-tomcat-vm is the python web server (accessible from uni only)
- 3.Instructions in a brief:
  - 1.SSH to delta-tomcat-vm and run: `sudo create-my-django-dir`
  - 2.Copy your application files to your django dir: `/specific/scratch/<username>/django/`
  - 3.Choose an available port and use it in your configuration file.
  - 4.Run your app `*detached*`:

```
nohup python3 -m "from my_flask_web_server import run_server;  
run_server.run_server()" &
```
- 4.Full instructions: <http://www.cs.tau.ac.il/system/django>

# WEB PROGRAMMING IN PYTHON (FLASK)



**Flask is a web-server library. Let's hello world it:**

1. Create hello.py:

```
1  from flask import Flask
2  app = Flask(__name__)
3
4
5  @app.route('/')
6  def hello_world():
7      return 'Hello, World!'
8
9
10 if __name__ == '__main__':
11     app.run(host='0.0.0.0', port='80')
12
```

2. Run the server by:

```
$ export FLASK_APP=hello.py
$ python -m flask run
```

# SUMMARY

## **We learned the basics for client side developments.**

Nowadays you will use frameworks (bootstrap, angular, jquery)

Don't forget to use browser "developer tools" for adjusting CSS properties

For everything you need to know: [w3schools.org](https://www.w3schools.org) + [stackoverflow.com](https://stackoverflow.com)

## **We learned PHP.**

Install XAMPP to have it locally

adjust settings in the php.ini file and httpd.conf

Make sure you have file permissions (both unix /windows)

For all you need to know: [w3schools.org](https://www.w3schools.org) and [stackoverflow.com](https://stackoverflow.com)