


תוכנה 1

תרגול 2: מערכים, לולאות והתמודדות עם שגיאות

מערכים

- **Array:** A fixed-length data structure for storing multiple values of the same type
- Example from last week: An array of odd numbers:




The type of all elements is `int`

The value of the element at index 4 is 9: `odds[4] == 9`

Array Variables

- An array is denoted by the `[]` notation
- Examples:
 - `int[] odds;`
 - `String[] names;`
 - `int[][] matrix; // an array of arrays`



Array Creation and Initialization

- What is the output of the following code:

```
int[] odds = new int[8];  
for (int i = 0; i < odds.length; i++) {  
    System.out.print(odds[i] + " ");  
    odds[i] = 2 * i + 1;  
    System.out.print(odds[i] + " ");  
}
```

Array creation: all elements get the **default value** for their type (0 for `int`)

- Output:

0 1 0 3 0 5 0 7 0 9 0 11 0 13 0 15


Array Creation and Initialization

- Creating and initializing small arrays with *a-priori* known values:

- `int[] odds = {1, 3, 5, 7, 9, 11, 13, 15};`

- `String[] months =`

```
    {"Jan", "Feb", "Mar", "Apr",  
     "May", "Jun", "July", "Aug",  
     "Sep", "Oct", "Nov", "Dec"};
```



Loop through Arrays

- By promoting the array's index:

```
for (int i = 0; i < months.length; i++) {  
    System.out.println(months[i]);  
}
```

The variable month is assigned the next element in each iteration

- foreach:

```
for (String month: months) {  
    System.out.println(month);  
}
```

Operations on arrays

- The class Arrays provide operations on array
 - Copy
 - Sort
 - Search
 - Fill
 - ...
- [java.util.Arrays](http://docs.oracle.com/javase/6/docs/api/index.html?java/util/Arrays.html)
<http://docs.oracle.com/javase/6/docs/api/index.html?java/util/Arrays.html>


Copying Arrays

- Assume:

```
int[] array1 = {1, 2, 3};  
int[] array2 = {8, 7, 6, 5};
```

- Naïve copy:

```
array1 = array2;
```



- What's wrong with this solution?

Copying Arrays

■ `Arrays.copyOf`

- 1st argument: the original array
- 2nd argument: the length of the copy

```
int[] arr1 = {1, 2, 3};  
int[] arr2 = Arrays.copyOf(arr1, arr1.length);
```

■ `Arrays.copyOfRange`

- 1st argument: the original array
- 2nd initial index of the range to be copied, inclusive
- 3rd argument: final index of the range to be copied, exclusive

Question

- What is the output of the following code:


```
int[] odds = {1, 3, 5, 7, 9, 11, 13, 15};  
int newOdds[] =  
    Arrays.copyOfRange(odds, 1, odds.length);  
for (int odd: newOdds) {  
    System.out.print(odd + " ");  
}
```

Output: 3 5 7 9 11 13 15

2D Arrays

- There are no 2D arrays in Java but ...
- you can build array of arrays:

```
char [][] board = new char [3] [] ;  
for (int i = 0; i < 3; i++)  
    board[i] = new char [3] ;
```




Or equivalently:

```
char[][] board = new char[3][3];
```

2D Arrays

- A more compact table:

```
int[][] table = new int[10][];  
for (int i = 0; i < 10; i++) {  
    table[i] = new int[i + 1];  
    for (int j = 0; j <= i; j++) {  
        table[i][j] = (i + 1) * (j + 1);  
    }  
}
```



Fibonacci

- Fibonacci series

1, 1, 2, 3, 5, 8, 13, 21, 34

- Definition:

- $\text{fib}(0) = 1$

- $\text{fib}(1) = 1$

- $\text{fib}(n) = \text{fib}(n-1) + \text{fib}(n-2)$



If-Else Statement

```
public class Fibonacci {  
    ...  
  
    /** Returns the n-th Fibonacci element */  
    public static int computeElement(int n) {  
        if (n==0)  
            return 1;  
        else if (n==1)  
            return 1;  
        else  
            return computeElement(n-1) + computeElement(n-2);  
    }  
}
```

Assumption:
 $n \geq 0$

Can be
removed

Switch Statement

```
public class Fibonacci {  
    ...  
  
    /** Returns the n-th Fibonacci element */  
    public static int computeElement(int n) {  
        switch(n) {  
            case 0:  
                return 1;  
            case 1:  
                return 1;  
                break;  
            default:  
                return computeElement(n-1) + computeElement(n-2);  
        }  
    }  
}
```

Assumption:
 $n \geq 0$

Compilation Error:
Unreachable Code

Iterative Fibonacci

- A loop instead of a recursion

```
static int computeElement(int n) {  
    if (n == 0 || n == 1)  
        return 1;  
  
    int prev = 1;  
    int prevPrev = 1;  
    int curr = 0;  
  
    for (int i = 2 ; i < n ; i++) {  
        curr = prev + prevPrev;  
        prevPrev = prev;  
        prev = curr;  
        curr = prev + prevPrev;  
    }  
  
    return curr;  
}
```

Assumption:
 $n \geq 0$

Must be initialized.
Why?

~~1~~ - ~~1~~ 2

prevPrev

~~1~~ - ~~2~~ 3

prev

~~2~~ - ~~3~~ 5

curr


נתונים במקום חישוב

- בתרגום רקורסיה ללולאה אנו משתמשים במשתני עזר לשמירת המצב `prev` ו-`curr` - `prevPrev`
- הלולאה "זוכרת" את הנקודה שבה אנו נמצאים בתהליך החישוב
- דין: יעילות לעומת פשטות.
- עיקרון ה-KISS (**keep it simple stupid**)

For Loop

- Printing the first n elements:

```
public class Fibonacci {  
    public static int computeElement(int n) {  
        ...  
    }  
  
    public static void main(String[] args) {  
        for(int i = 0 ; i < 10 ; i++) {  
            System.out.println(computeElement(i));  
        }  
    }  
}
```



מודולריות, שכפול קוד ויעילות

- יש כאן חוסר יעילות מסוים:
 - לולאת ה-`for` חוזרת גם ב-`main` וגם ב-`computeElement`. לכאורה, במעבר אחד ניתן גם לחשב את האיברים וגם להדפיס אותם
- כמו כן כדי לחשב איבר בסדרה איננו משתמשים בתוצאות שכבר חישבנו (של איברים קודמים) ומתחילים כל חישוב מתחילתו

מודולריות, שכפול קוד ויעילות

- מתודה (פונקציה) צריכה לעשות דבר אחד בדיוק!
 - ערוב של חישוב והדפסה פוגע במודולריות (מדוע?)
- היזהרו משכפול קוד!
 - קטע קוד דומה המופיע בשתי פונקציות שונות יגרום במוקדם או במאוחר לבאג בתוכנית (מדוע?)
- את בעיית היעילות (הוספת מנגנון memoization) אפשר לפתור בעזרת מערכים (תרגיל)

for vs. while

- The following two statements are almost equivalent:

Variable `i` is not defined outside the for block

```
for(int i = 0 ; i < n ; i++)  
    System.out.println(computeElement(i));
```

```
int i=0;  
while (i < n) {  
    System.out.println(computeElement(i));  
    i++;  
}
```

while vs. do while

- The following two statements are equivalent if and only if $n > 0$:

```
int i=0;
while (i < n) {
    System.out.println(computeElement(i));
    i++;
}
```

```
int i=0;
do {
    System.out.println(computeElement(i));
    i++;
} while (i < n);
```

Compilation vs. Runtime Errors


- שגיאות קומפילציה (הידור): שגיאות שניתן "לתפוס" בעת קריאת הקובץ והפיכתו ל-bytecode ע"י המהדר
- דוגמאות:

Syntax error on token "Class", class expected

```
Class MyClass {  
    void f() {  
        int n=10;  
  
    void g() {  
        int m = 20;  
    }  
}
```

Syntax error, insert "}" to complete MethodBody

```
...  
int i;  
System.out.println(i);  
...
```



בדרך כלל קשורות ל:

תחביר, תאימות טיפוסים, הגדרה לפני שימוש

Compilation vs. Runtime Errors

- שגיאות זמן ריצה: לא ניתן לדעת שתהיה שגיאה במקום ספציפי בזמן ההידור (קומפילציה)
- דוגמאות:

```
a = new int[20];
```

```
...  
int a[] = new int[10];  
...
```

```
a[15] = 10;
```

```
...  
String s = null;  
System.out.println(s.length());  
...
```

The screenshot shows an IDE window titled 'Main.java' containing the following code:

```
public class Main {  
    public static void main(String[] args) {  
        String s = null;  
        System.out.println(s.length());  
    }  
}
```

Below the code editor, the 'Problems' tab is active, displaying the following error message:

```
<terminated> Main [Java Application]  
Exception in thread "main" java.lang.NullPointerException  
at Main.main(Main.java:4)
```

■ מתקשר למנגנון החריגים (exceptions), עליו נלמד בהמשך

Compilation vs. Runtime Errors

האם יש עוד סוג של טעויות? ■


כן, הכי גרועות, טעויות לוגיות בתוכנית ■

```
public class Factorial {  
    /** calculate x! */  
    public static int factorial(int x) {  
        int f = 0;  
        for (int i = 2; i <= x; i++)  
            f = f * i;  
        return f;  
    }  
}
```

The Debugger


- Some programs may compile correctly, yet not produce the desirable results
- These programs are **valid** and **correct** Java programs, yet not the programs we meant to write!
- The debugger can be used to follow the program step by step and may help detecting bugs in an **already compiled** program

Debugger – Add Breakpoint



- Right click on the desired line
- “Toggle Breakpoint”

Debugger – Start Debugging




debug (F11)

breakpoint

```
public class Test {  
    public static void main (String [] args){  
        System.out.println(computeFibElement(7));  
    }  
  
    public static int computeFibElement(int n) {  
        if (n == 0 || n == 1)  
            return 1;  
        int prev = 1;  
        int prevPrev = 1;  
        int curr;  
        for (int i = 2 ; i < n ; i++) {  
            curr = prev + prevPrev;  
            prevPrev = prev;  
            prev = curr;  
        }  
        curr = prev + prevPrev;  
        return curr;  
    }  
}
```

Debugger – Debug Perspective



Debugger – Debugging

The screenshot shows the Eclipse IDE in a debug state. The top toolbar has a 'Java' button circled in red, with a red arrow pointing to it from the text 'Back to Java perspective'. The 'Variables' view on the right shows the current state of variables:

Name	Value
n	7
prev	1

The source code editor shows the following code with the current location highlighted in blue:

```
public class Test {  
    public static void main (String [] args){  
        System.out.println(computeFibElement(7));  
    }  
  
    public static int computeFibElement(int n) {  
        if (n == 0 || n == 1)  
            return 1;  
        int prev = 1;  
        int prevPrev = 1;  
        int curr;  
        for (int i = 2 ; i < n ; i++) {  
            curr = prev + prevPrev;  
            prevPrev = prev;  
            prev = curr;  
        }  
        curr = prev + prevPrev;  
    }  
}
```

The console at the bottom shows the output of the application:

```
Test [Java Application] C:\Program Files\Java\jre6\bin\javaw.exe (27/10/2009 12:52:30)
```

Debugger – Debugging

The screenshot shows the Eclipse IDE interface with a Java application named 'Test' being debugged. The 'Run' menu is open, displaying various debugging actions and their keyboard shortcuts. The code editor shows the following code:

```
public class Test {  
    public static void main (String[] args) {  
        System.out.println("computeFibElement");  
    }  
  
    public static int computeFibElement(int n) {  
        if (n == 0 || n == 1)  
            return 1;  
        int prev = 1;  
        int prevPrev = 1;  
        int curr;  
        for (int i = 2 ; i < n ; i++)  
            curr = prev + prevPrev;  
        return curr;  
    }  
}
```

The 'Run' menu options and their shortcuts are:

- Resume: F8
- Suspend
- Terminate: Ctrl+F2
- Step Into: F5
- Step Over: F6
- Step Return: F7
- Run to Line: Ctrl+R
- Use Step Filters: Shift+F5
- Run: Ctrl+F11
- Debug: F11
- Run History
- Run As
- Run Configurations...
- Debug History
- Debug As
- Debug Configurations...
- Toggle Breakpoint: Ctrl+Shift+B
- Toggle Line Breakpoint
- Toggle Method Breakpoint
- Toggle Watchpoint
- Skip All Breakpoints

Using the Debugger: Video Tutorial

מצגות וידאו ■

<http://eclipsetutorial.sourceforge.net/debugger.html>

מדריך עדכני יותר ■

<http://www.vogella.com/tutorials/EclipseDebugging/article.html>

הקישורים נמצאים גם באתר הקורס ■

הסוף...